

8 Aug 75 19 3

*Requisitioning procedure
for MIL-H-83282
Hyd fluid
Agn-75-24*

RTTUZBXN RUEDA008118 220191Z-UUUU--RUMMDTA;
ZNR UUUUU
R 061850Z AUG-75-ZEX.
FM ODR ARNG-OAC EDGEWOOD MD //OAC-AVN-L//
TO AIG 7481
INFO RUEFHQA/NOB WASH DC //NOB-ARL-A//
R 062000Z AUG 75 ZEX
FM ODR USAAVSCOM STL MO //AMSAV-FEG//
TO AIG 8881
AIG 9042
BT

ARMY/41

UNCLAS
NOTE: CLN THIS MESSAGE HAS NOT, REPEAT, HAS NOT BEEN TRANSMITTED TO UNITS SUBORDINATE TO ADDRESSERS; ADDRESSEES ARE RESPONSIBLE FOR DISSEMINATION OF MESSAGE TO ALL SUBORDINATE UNITS, ACTIVITIES, ELEMENTS, OR FOREIGN USERS AFFECTED OR CONCERNED; RETRANSMITTAL SHALL REFERENCE THIS MESSAGE.
SUBJ: CLN CLARIFICATION OF REQUISITIONING PROCEDURES FOR MIL-H-83282, FIRE RESISTANT HYDRAULIC FLUID, /GEN-75-24//
A, REF T855-1500-334-25, CONVERSION OF AIRCRAFT TO FIRE RESISTANT HYDRAULIC FLUID, DATED 2 MAY 75.
B, REF MSG 022010Z JUN 75, AMSAV-FEG, SUBJECT CLN CONVERSION OF

PAGE 2 RUEDA008118 UNCLAS
ARMY AIRCRAFT FROM MIL-H-5586 HYDRAULIC FLUID TO MIL-H-83282A, FIRE RESISTANT HYDRAULIC FLUID, /GEN-75-20//
C, REF MSG 082031Z APR 75, AMCSU-KE, SUBJECT CLN ASSIGNMENT OF PROJECT CODES;
1. BOTH REFERENCES A AND B LIST PRIORITY LOCATIONS FOR CONVERSION; REQUISITIONS FOR MIL-H-83282 FROM ONLY THESE LOCATIONS WILL BE FILLED BY DEFENSE GENERAL SUPPLY CENTER /DSSC//
2. THIS LIMITED DISTRIBUTION IS DUE TO INSUFFICIENT QUANTITIES OF MIL-H-83282 AVAILABLE TO CONVERT ALL ARMY AIRCRAFT AT ONE TIME; INITIAL STOCKS OF MIL-H-83282 ARE SUFFICIENT FOR CONVERSION AND SUPPORT OF AIRCRAFT AT THESE PRIORITY LOCATIONS ONLY; OTHER UNITS SHOULD POSTPONE REQUISITIONS 6 TO 9 MONTHS WHEN THERE IS SUFFICIENT AMOUNT OF MIL-H-83282 FOR CONVERSION AND SUPPORT OF THEIR AIRCRAFT.
3. THOSE UNITS WHO HAVE ALREADY PLACED REQUISITIONS WITH DSSC, AND ARE NOT ONE OF THE PRIORITY LOCATIONS SHOULD TAKE ACTION TO CANCEL THEIR REQUISITIONS.
4. ALTHOUGH THE NSNS LISTED IN REF A FOR THE FIRE RESISTANT HYDRAULIC FLUID ARE NOT LISTED IN THE AMDF, THE TB IS ADEQUATE AUTHORITY TO ORDER THE FLUID; ACTION IS UNDERWAY TO HAVE THESE NSNS ENTERED IN THE AMDF.

(6)

PAGE 3 RUEDA0A0118 UNCLAS

5. THE PRIORITY LOCATIONS SHOULD COMPUTE THEIR FLUID REQUIREMENTS FOR CONVERSION, AND THEN ORDER THE FLUID IN THE FOLLOWING APPROXIMATE PROPORTIONS: 20 PERCENT OF TOTAL REQUIREMENT IN 55 GAL DRUMS, 70 PERCENT IN GALLONS, AND 10 PERCENT IN QTS. THE INITIAL QUANTITY OF FLUID PRESENTLY IN STOCK WAS PROCURED ON THIS BASIS OF CONTAINER SIZE.

6. PRIORITY LOCATIONS SHOULD ALSO ENSURE THAT THEIR REQUISITIONS HAVE THE PROJECT CODE AS DESCRIBED IN REF C.

7. ANOTHER MESSAGE WILL BE SENT WHEN THE SECOND DELIVERY OF MIL-H-83282 IS COMPLETE AND SUFFICIENT QUANTITIES OF MIL-H-83282 ARE AVAILABLE FOR CONVERSION OF ARMY AIRCRAFT AT OTHER LOCATIONS.

8. PRIORITY LOCATIONS LISTED IN THE TB SHOULD TAKE IMMEDIATE ACTION TO PLACE REQUISITIONS FOR THE NEW FLUID.

BT
#0118

NNNN