BAUG 75 17 15t water 23

RTTUZEXW RUEDAGAR187 2281258-UUUU--RUWMDTA. ZNR UUUUU 2 081228Z AUG 75 ZEX. FM CDR ARNG-DAG EDGEWOOD MD //DAG-AVN-L// TO AIG 7481 INFO RUEFHGA/NGB WASH R 862881Z AUG 75 ZEX FM CDRUSAAVSCOM STL MO TO AIG 8881 A10 9842 UNCLAS NOTE CLN THIS MESSAGE HAS NOT, REPEAT, HAS NOT BEEN TRANSMITTED ADDRESSEES ARE RESPONSIBLE TO UNITS SUBORDINATE TO ADDRESSEES; FOR DISSEMINATION OF MESSAGE TO ALL SUBORDINATE UNITS. ACTIVITIES, ELEMENTS, OR FOREIGN USERS AFFECTED OR CONCERNED. RETRANSMITTAL SHALL REFERENCE THIS MESSAGE SUBJECT OLN IDENTIFYING AIRCRAFT INSTRUMENTS THAT CONTAIN RADIUM PAINTED RADIOACTIVE MATERIAL ON POINTERS AND DIALS: /GEN=75=23/ AN EMPLOYEE SUGGESTION RECOMMENDED THAT ALL AIRCRAFT INSTRUMENTS WITH THE SAME FSN /FSN/ THAT DO NOT CONTAIN RADIUM PAINTED RADIO-ACTIVE MATERIALS ON POINTERS AND DIALS BE APPROPRIATELY MARKED SO

PAGE 2 RUEDACAS187 UNCLAS
THAT THEY CAN BE VISUALLY DISTINGUISHED FROM THOSE THAT DO CONTAIN
THE RADIUM PAINT ON POINTERS AND DIALS, THE PURPOSE IS TO SAVE
THE TIME AND EXPENSE OF CHECKING ALL INSTRUMENTS WITH A SURVEY
METER /RADIACMETER/ TO DETERMINE IF THEY CONTAIN RADIUM PAINT.
2. TABLE 1 OF 1955-1588-314-25, HANDLING, STORAGE AND DISPOSAL
DF ARMY AIRCRAFT COMPONENTS CONTAINING RADICACTIVE MATERIALS, IS
A LISTING OF ITEMS CONTAINING RADICACTIVE MATERIALS, IS
INSTRUMENTS CONTAINING RADIUM PAINT ARE INCLUDED IN THE AIRCRAFT
INSTRUMENTS CONTAINING RADIUM PAINT DURING REPAIR AND OVERHAUL OF
THOSE INSTRUMENTS IN TABLE 1 ARE HEREBY REQUESTED TO PERFORM THE
FOLLOWING TASKS AFTER THE RADIUM PAINT HAS BEEN REMOVED FROM THE

A. ADD A DOT OF GREEN PAINT APPROXIMATELY ONE EIGHTH INCH IN DIAMETER ON THE LOWER RIGHT CORNER OF THE NAMEPLATE ON THE EXTERIOR

OF THE INSTRUMENT.

B. ADD THE LETTER QUOTE F UNQUOTE /FREE OF RADIUM PAINT/ BEHIND THE FEDERAL /NATIONAL/ STOCK NUMBER ON THE CONTAINER OR PACKAGE OF THE INSTRUMENT.

J. ALL ACTIVITIES THAT HANDLE, STORE OR USE THE INSTRUMENTS ARE

PAGE 3 RUEDACAS127 UNCLAS
HEREBY ADVISED OF THE ABOVE MEANING OF THE GREEN DOT AND LETTER
OUT E F UNQUOTE, ALL THE ABOVE ACTIVITIES THAT MERIFY BY MEANS
OF ARDIOLOGICAL PROTECTION OFFICER USING A BETW-GAMMA SURVEYMETER
/RADIACMETER/ AN/PDR-27, OR EQUIVALENT, THAT AN INSTRUMENT DOES
NOT CONTAIN RADIUM PAINT, MAY UTILIZE THE SAME GREEN DOT AND
CETTER QUOTE F UNQUOTE FOR MARKING THE INSTRUMENTS ON HAND AT
THEIR ACTIVITY, ADD THE LETTERS QUOTE RA UNQUOTE /RADIUM PAINT/
BEHIND THE FEDERAL /NATIONAL/ STOCK NUMBER ON THE INSTRUMENT
AND THE PACKAGE OF THE INSTRUMENT CONTAINING RADIUM PAINT,
AND SET ASIDE AND CONTACT HIS COMMAND, AMSAV-QNCI, MR. CHARLES
F, MURPHY, AUTOVON 698-6241 FOR DISPOSITION INSTRUCTIONS.
4. NOTE THAT IT MAY BE SEVERAL MONTHS BEFORE THE INSTRUMENTS,
THUSLY IDENTIFIED, WILL APPEAR IN THE ARMY SUPPLY SYSTEM.

NNNN